



Mountain West Gastroenterology

Information Sheet

Bravo Capsule / Esophageal Motility Study / pH Study

<input type="checkbox"/> Oscar A. Batista, M.D.	<input type="checkbox"/> Brett W. Doxey, M.D.	<input type="checkbox"/> Randall J. Ryser, M.D.
<input type="checkbox"/> Mark E. Boschert, M.D.	<input type="checkbox"/> Peter C. Fenton, M.D.	<input type="checkbox"/> Michael J. Sossenheimer, M.D.
<input type="checkbox"/> Edward J. Frech, M.D.	<input type="checkbox"/> Clarke A. Hilbig, M.D.	<input type="checkbox"/> I. Raymond Thomason, M.D.
<input type="checkbox"/> Gordon E. Harmston, M.D.	<input type="checkbox"/> Robert G. Jones, M.D.	
<input type="checkbox"/> Christopher C. Canale, M.D.	<input type="checkbox"/> D. Rayburn Moore, M.D.	

MEDICATIONS TO DISCONTINUE PRIOR TO PROCEDURE:

- Certain medications affect the esophagus and might not give proper results.
- Call our office before adding any medications not previously discussed.

ESOPHAGEAL MOTILITY STUDY: (Dysphagia patients only)

- Antidepressants/anxiety: Amitriptyline, Ativan, Elavil, Klonopin, Nortriptyline, Trazadone, and Xanax - **discontinue for 3 days.**
- Calcium Channel Blockers: Dilacor, Cardizem, Calan, Norvasc, and Procardia - **discontinue for 3 days.**

Aspirin	2 days	Lortab	2 days
Atrovent	2 days	Metoclopramide	3 days
Biaxin	2 days	Nitroglycerin	12 hours
Erythromycin	2 days	Soma	3 days
Entex LA	2 days	Tylox	2 days
Guaifenesin	2 days	Vistaril	3 days
Histussin	2 days	Zithromax	2 days
Inderal LA	3 days	Tums, Maalox, Rolaids	2 days

pH STUDY: (Acid Reflux patients only)

- Proton pump inhibitors: Protonix, Prilosec, Prevacid, Nexium, and Aciphex - **discontinue for 7 days.**
- H2 Blockers: Axid, Pepcid, Tagamet, and Zantac – **discontinue for 7 days.**
- Antacids: Tums, Maalox, Rolaids – **discontinue for 1 day.**

Questions – Call _____