



Mountain West Gastroenterology

MoviPrep Instructions

- | | | |
|--|---|--|
| <input type="checkbox"/> Oscar A. Batista, M.D. | <input type="checkbox"/> Brett W. Doxey, M.D. | <input type="checkbox"/> D. Rayburn Moore, M.D. |
| <input type="checkbox"/> Mark E. Boschert, M.D. | <input type="checkbox"/> Peter C. Fenton, M.D. | <input type="checkbox"/> Randall J. Ryser, M.D. |
| <input type="checkbox"/> John H. Bowers, M.D. | <input type="checkbox"/> Edward J. Frech, M.D. | <input type="checkbox"/> Michael J. Sossenheimer, M.D. |
| <input type="checkbox"/> Gordon E. Harmston, M.D. | <input type="checkbox"/> Clarke A. Hilbig, M.D. | <input type="checkbox"/> I. Raymond Thomason, M.D. |
| <input type="checkbox"/> Christopher C. Canale, M.D. | <input type="checkbox"/> Robert G. Jones, M.D. | |

YOU ARE SCHEDULED FOR A:

- COLONOSCOPY FLEXIBLE SIG EGD/COLON EGD/FLEX

DATE/TIME _____

7 DAYS PRIOR TO YOUR EXAM: You should stop taking Aspirin or Ginkgo Biloba

3 DAYS PRIOR TO YOUR EXAM: You should stop taking Ibuprofen, or any anti-inflammatory products. Tylenol is ok to take. **If you are taking Coumadin, have diabetes, or have been instructed not to stop any medications by your physician, contact our office to determine that dose schedule.** Please continue all other medications as ordered.

MoviPrep – PM/AM Split Dose

Colon Prep Instructions follow these instructions, not instructions on MoviPrep box

You may mix the solution ahead of time and refrigerate prior to drinking. The solution once mixed, must be used within 24 hours. Empty 1 pouch A and 1 pouch B into the disposal container. Add lukewarm drinking water to the top line of the container. Mix to dissolve.

On the day before your colonoscopy, take clear liquids only. No red liquids, no red, orange or purple dyes! **No solid foods.** At **6PM** start the MoviPrep prep. The MoviPrep container is divided by 4 marks. Every 15 minutes, drink the solution down to the next mark (approx. 8 ounces), until the full liter has been completed. Over the course of the evening, drink a half liter (16 ounces) of additional clear liquid. Mix the second liter of MoviPrep solution and refrigerate.

The day of your colonoscopy – 4 hours before the procedure (For example if you procedure is at 8 AM, start at 4 AM) Drink the second liter, following the same process completed the evening before: Every 15 minutes, drink the solution down to the next mark (approx. 8 ounces) until the liter has been completed. Time to complete = 1 hour. Drink additional half liter (16 ounces) of water. **This needs to be completed 3 hours before your procedure. No food or drinks until after colonoscopy. Stop drinking 3 hours before your scheduled arrival time. You may apply zinc oxide, Vaseline or Aloe Wipes to the anal area to prevent irritation.**

YOUR PROCEDURE IS SCHEDULED AT THE FOLLOWING TIME AND PLACE:

- Mountain West Endoscopy Center, 6360 South 3000 East, Ste 320, SLC, UT 801-944-3166**
If not contacted by the day before your procedure, call 801-944-3166 to pre-register.
- Intermountain Medical Center, 5121 South Cottonwood Drive, Murray, UT 801-507-3262**
Check in at the Eccles Outpatient Building, Level 2. Free Valet Parking Available.
Call the day before your procedure to pre-register, 801-314-4395
- Davis Hospital & Medical Center, 1600 Antelope Drive, Layton, UT 801-807-7034**
Use the ER Entrance
- Lakeview Hospital, 630 E Medical Dr, Bountiful, UT 801-299-4657**
South Entrance, Same Day Surgery Registration.
- Lakeview Endoscopy Center, 620 E Medical Dr, Suite 200, Bountiful, UT 801-299-6760**
Call the day before your procedure to pre-register
- LDS Hospital, 8th Avenue & C Street, SLC, UT. ~Dr. Batista Only~ 801-408-1057**
Entrance West Wing of Hospital. Call the day before your procedure to pre-register, 801-314-4395. Free Valet Parking Available.
- Riverton Hospital, 3741 West 12600 South, Riverton, UT**
Riverton Hospital will call you prior to your procedure.

Please bring someone with you to drive you home, as you will be sedated for the exam. The doctor will talk to you after the exam and will give you recommendations for diet, medication, follow up care, etc. Wear comfortable clothing; bring your glasses, hearing aids, insurance card(s) and completed information form. For your safety, no jewelry should be worn **anywhere on your body** the day of your procedure. No valuables should be brought to the center. We are not responsible for patient valuables. We will expect payment of co-pays, coinsurance and deductibles at the time of service. If your insurance requires a referral, you should contact your primary care physician to arrange for us to receive the referral prior to the procedure. If you have any questions, please call (801) 944-3141 or additional information can be found on our website www.mwgi.com.

You may receive **THREE** separate bills for this procedure: 1-Physician, 2-Facility, 3-Pathology

Questions – Call _____

MAP ON REVERSE SIDE